

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application. An identifier indicating the status of each claim is provided.

Listing of Claims:

1. (Currently Amended) A contents control method for managing usage of contents, said method comprising the steps of:

receiving contents and content usage rights information from a contents distribution server at a memory storage device ~~remote from~~ of a network to transfer contents to a user terminal;

storing the contents and contents usage rights information on the memory storage device ~~remote from the user~~;

comparing content usage rights information with status code information, the status code information showing the usage status of contents stored on the memory storage device;

wherein said content usage rights information contains a user's rights to use the contents stored on the memory storage device for a predetermined number of times, a predetermined end date/time showing the usable end time until which said contents can be used, a time period showing both a start date/time and an end date time over which the contents can be used, and a usage time showing an amount of time for which the content can be used;

determining whether the contents are used within the range set by said content usage rights information;

comparing said status code information with output setting information, the output setting information having a threshold value within the range of said contents usage rights ~~information~~ information;

~~warning to warn~~ by warning report data when the status code information crosses ~~in~~ proximity to said contents usage rights ~~in the case where said status code information is within~~ the range of said contents usage rights information the threshold value,

wherein said warning report data alerts a user that a usage limit of said content, as restricted by the content usage rights information, is near;

sending said warning report data by a selected method, the selected method being either sending to a report address using an electronic mail or displaying said warning report on a screen connected to the memory storage device when said status code information nears the threshold value of said output setting information, wherein a selection of using an electronic mail or displaying the warning report on the screen is determined based on a predetermined report method in the output setting information;

disabling use of the contents stored on the memory storage device when said status code information exceeds the threshold value of said output setting information; and

deleting the contents stored on the memory storage device after a period of elapsed time for deletion has elapsed.

2. (Previously Presented) A contents control method according to claim 1, further comprising
outputting invalidation report data when the use of said contents has been disabled.

3. (Previously Presented) A contents control method according to claim 2,
further comprising

outputting deletion report data when said contents are deleted.

4. - 5. (Canceled)

6. (Previously Presented) A contents control method according to claim 3,
further comprising

sending said invalidation report data and said deletion report data to said report address
using an electronic mail.

7. (Currently Amended) A contents control device for managing usage of
contents, said device comprising:

first receiving means for receiving contents and content usage rights information from a
contents distribution server at a memory storage device ~~remote from~~ of a network to transfer
contents to a user terminal;

second receiving means for automatically receiving key code information associated with
the contents from the contents distribution server, wherein the key code information includes
information for decoding the contents and contents usage rights information;

memory storage means for storing said contents, key code information, and status code
information showing the usage status of said contents, and output setting information having a
threshold value within the range of contents usage rights information for warning by warning
report data when in proximity to said threshold value of said contents usage rights,

wherein said content usage rights information contains a user's rights to use the contents stored on the contents distribution server for a predetermined number of times, a predetermined end date/time showing the usable end time until which said contents can be used, a time period showing both a start date/time and an end date time over which the contents can be used, and a usage time showing an amount of time for which the content can be used;

wherein said warning report data alerts a user that a usage limit of said content, as restricted by the content usage rights information, is near;

key code monitor means for controlling usage limits of said contents by comparing said contents usage rights, said status code information and said output setting information to determine whether the contents are used within the range set by said content usage rights information, said key code monitor means comprising a function to send said warning report data to a report address using an electronic mail or displaying said warning report on a screen connected to the memory storage device when said status code information nears the threshold value of said output setting information, wherein a selection of using an electronic mail or displaying the warning report on the screen is determined based on a predetermined report method in the output setting information;

content output means containing a function for reproducing said contents of said memory storage means and a function to output said warning report data;

disabling means for disabling use of the contents stored on the memory storage means when said status code information exceeds the threshold value of said output setting information; and

deleting means for deleting the contents stored on the memory storage means after a period of elapsed time for deletion has elapsed.

8. (Canceled)

9. (Currently Amended) A contents control apparatus for managing usage of contents, said apparatus comprising:

first comparison means for comparing content usage rights information with status code information showing the usage status of contents stored on a memory storage device;

wherein the contents and content usage rights information are received from a contents distribution server at a memory storage device ~~remote from~~ of a network to transfer contents to a user terminal;

wherein said content usage rights information contains a user's rights to use the contents stored on the memory storage device for a predetermined number of times, a predetermined end date/time showing the usable end time until which said contents can be used, a time period showing both a start date/time and an end date time over which the contents can be used, and a usage time showing an amount of time for which the content can be used;

determining means for determining whether the contents are used within the range set by said content usage rights information;

second comparison means for comparing said status code information with output setting information, the output setting information having a threshold value within the range of said contents usage rights ~~information~~ information;

~~warning to warn~~ by warning report data when the status code information crosses in proximity to said contents usage rights in the case where said status code information is within the range of said contents usage rights information the threshold value,

wherein said warning report data alerts a user that a usage limit of said content, as restricted by the content usage rights information, is near;

output means for sending said warning report data to a report address using an electronic mail or displaying said warning report on a screen connected to the memory storage device when said status code information nears the threshold value of said output setting information, wherein a selection of using an electronic mail or displaying the warning report on the screen is determined based on a predetermined report method in the output setting information;

disabling means for disabling use of the contents on the memory storage device when said status code information exceeds the threshold value of said output setting information; and

deleting means for deleting the contents on the memory storage device after a period of elapsed time for deletion has elapsed.

10. (Currently Amended) A computer-readable medium storing a computer program that when executed on a processor implements a contents control method for managing usage of contents, said method comprising:

receiving contents and content usage rights information from a contents distribution server at a memory storage device ~~remote from~~ of a network to transfer contents to a user terminal;

storing the contents and content usage rights information on the memory storage device ~~remote from the user;~~

comparing content usage rights information with status code information, the status code information showing the usage status of contents stored on the memory storage device;

wherein said content usage rights information contains a user's rights to use the contents stored on the memory storage device for a predetermined number of times, a predetermined end date/time showing the usable end time until which said contents can be used, a time period showing both a start date/time and an end date time over which the contents can be used, and a usage time showing an amount of time for which the content can be used;

determining whether the contents are used within the range set by said content usage rights information;

comparing said status code information with output setting information, the output setting information having a threshold value within the range of said contents usage rights information information;

~~warning to warn~~ by warning report data when the status code information crosses ~~in~~ proximity to said contents usage rights in the case where said status code information is within the range of said contents usage rights information the threshold value,

wherein said warning report data alerts a user that a usage limit of said content, as restricted by the content usage rights information, is near;

sending said warning report data to a report address using an electronic mail or displaying said warning report on a screen connected to the memory storage device when said status code information nears the threshold value of said output setting information, wherein a selection of using an electronic mail or displaying the warning report on the screen is determined based on a predetermined report method in the output setting information;

disabling use of the contents stored on the memory storage device when said status code information exceeds the threshold value of said output setting information; and

deleting the contents stored on the memory storage device after a period of elapsed time
for deletion has elapsed.